



Oalient

• Red



*This information is for market reference only. Please do not make it public.

ORLIGHT

O Black




MARKET APPLICATIONS

Everyday Carry Outdoors OLIGHT

UPC: 6975498002741 (Black) 6975498006312 (Red)

DESCRIPTION

Diffuse is a sleek, compact, and lightweight EDC flashlight with a maximum output of 700 lumens. Its 6 different modes can satisfy most daily lighting needs. Due to its compact size, similar to that of a lipstick, Diffuse can easily be carried in a pocket for added convenience. With a unique pentagonal prism-shaped body, it fits well in the hand. Diffuse has its side switch wrapped around by a creative 3-colored power indicator, which shows the remaining power intuitively. Its wide working voltage range makes it compatible with all AA batteries. It is indeed an ideal option for an everyday-carry light.



*The power indicator will be red only for batteries with a voltage below 3V.





FEATURES

- Powerful Output in a Compact Size: Max output: 700 lm; Max throw: 80 m; Length: 87mm/3.43 inch; Diameter: 19 mm/0.75 in; Weight: 57.5 g/2.03 oz;
- It Satisfies Most Daily Needs: Due to its compact size, similar to that of a lipstick, Diffuse can easily be carried in a pocket for added convenience. Its 6 lighting modes make it suitable for most lighting occasions.
- Unique, Minimalist-style Design: With its sleek and unique, pentagonal prism-shaped design, Diffuse caters to the appetite of many.
- Compatibility with All AA Batteries: Diffuse comes with a 920mAh Li-ion battery that can be recharged using a USB-C cable. Its wide voltage range allows it to work with all AA batteries.
- Side switch Wrapped Around by Power Indicator: The power indicator makes it easy for users to stay informed of the battery level. Its side switch is intuitive and convenient.
- Waterproof: IPX8

OUTPUT

SPECIFICATIONS	MODE 1	MODE 2	MODE 3	MODE 4	MODE 5
3142	700 ≥ 350 lumens	3502150 lumens	50 lumens	10 lumens	1 lumen
U	1+70 minutes	10+120 minutes	7 hours	25 hours	180 hours
	80 meters	50 meters	20 meters	8 meters	N/A
	1,700 cd	900 cd	100 cd	20 cd	N/A
	13 Hz at 700 lumens				

* All data above are test results according to ANSI/NEMA FL 1-2009 standards.

COMPLIANCE

WATERPROOF IPX8





DROP TEST

olightworld.com © Olight 05/22/23 V1 Made in China

Note: There are slight differences between the picture and the real item caused by light color temperature. All the pictures are for reference only.

LIGHT SOURCE

High-Performance LED (5700-6700k)

DIMENSIONS

Length: 3.43in / 87mm Head Diameter: 0.75in / 19mm Body Diameter: 0.75in / 19mm

WEIGHT

2.03oz / 57.5g (Including Battery)

BODY MATERIAL

Aluminium alloy (A6061-T6)

POWERED BY

Customized 920mAh 3.6V 14500 Rechargeable Battery

WARRANTY

Lifetime Warranty in the USA, Australia, Germany, France and China. 5-Year Warranty in other countries and regions.

IN THE BOX

Diffuse x 1 USB Charging Cable x 1 Lanyard x 1 User Manual x 1