



Thermal Image Monocular
LYNX 2.0 Series (V5.5.72 build240228)
Release Notes

TABLE OF CONTENTS

Chapter 1 Introduction	1
Chapter 2 Optimizations.....	2
2.1 Optimized image latency	2

Chapter 1 Introduction

HIKMICRO LYNX 2.0 series handheld thermal monocular is equipped with high-sensitivity IR detector, and adopts advanced thermal imaging technology, to get clear view in poor visibility or dark environment.

It helps to view the target and measure the distance. It can aim at the moving target and meet the outdoor condition. The device can be widely used in searching and rescuing, hiking, travel, etc.

This document introduces new features and optimizations in V5.5.61build230906 of the products.

Version Information

Item	Description
Firmware Version	V5.5.72build240228
Models	HM-TS83-15S1GW-LH15 2.0 HM-TS83-19S1GW-LH19 2.0 HM-TS83-25S1GW-LH25 2.0
Mobile Client	HIKMICRO Sight, latest version

Chapter 2 Optimizations

HIKMICRO LYNX 2.0 series thermal monocular has been optimized to improve your experience.

2.1 Optimized image latency

Optimized image latency when previewing via APP HIKMICRO SIGHT.



HIKMICRO

See the World in a New Way



Facebook: HIKMICRO Outdoor



Instagram: hikmicro_outdoor



YouTube: HIKMICRO Outdoor



LinkedIn: HIKMICRO