



Thermal Monocular

LYNX 2.0 Series

V5.5.72 build240425 Release Notes

CONTENTS

Chapter 1 Introduction1

Chapter 2 Optimizations2

 2.1 Hotspot Optimization2

Chapter 1 Introduction

HIKMICRO LYNX 2.0 series handheld thermal monocular is equipped with high-sensitivity IR detector, and adopts advanced thermal imaging technology, to get clear view in poor visibility or dark environment.

It helps to view the target and measure the distance. It can aim at the moving target and meet the outdoor condition. The device can be widely used in searching and rescuing, hiking, travel, etc.

This document introduces new features and optimizations in V5.5.72 of the product.

Version Information


Item	Description
Firmware Version	V5.5.72 build240425
Models	HM-TS83-15S1G/W-LH15-2.0 HM-TS83-19S1G/W-LH19-2.0 HM-TS83-25S1G/W-LH25-2.0
Mobile App	HIKMICRO Sight, latest version

Chapter 2 Optimizations

HIKMICRO LYNX 2.0 series thermal monoculars have been optimized to improve your experience.

2.1 Hotspot Optimization

In this version, the first time users enter the device interface, they will choose whether to change the hotspot password.



- **OK:** If choose OK, the device will show you a random 8-digit password.



- **Cancel:** If choose Cancel, the password will remain the Serial No.

Note: During usage, whether you choose OK or Cancel, once you restore the device, the password will be restored to a random 8-digit password.

