



Thermal Monocular

LYNX PRO Series

V5.5.61build240425 Release Notes

CONTENTS

Chapter 1 Introduction	1
Chapter 2 Optimizations	2
2.1 Hotspot Optimization	2

Chapter 1 Introduction

HIKMICRO LYNX PRO series handheld thermal monocular is equipped with high-sensitivity IR detector, and adopts advanced thermal imaging technology, to get clear view in poor visibility or dark environment.

It helps to view the target and measure the distance. It can aim at the moving target and meet the outdoor condition. The device can be widely used in searching and rescuing, hiking, travel, etc.

This document introduces new features and optimizations in V5.5.61 of the product.

Version Information


Item	Description
Firmware Version	V5.5.61 build240425
Models	HM-TS03-15XG/W-LH15 HM-TS03-19XG/W-LH19 HM-TS03-25XG/W-LH25
Mobile App	HIKMICRO Sight, latest version

Chapter 2 Optimizations

HIKMICRO LYNX PRO series thermal monoculars have been optimized to improve your experience.

2.1 Hotspot Optimization

In this version, the first time users enter the device interface, they will choose whether to change the hotspot password.



- **OK:** If choose OK, the device will show you a random 8-digit password.



- **Cancel:** If choose Cancel, the password will remain the Serial No.

Note: During usage, whether you choose OK or Cancel, once you restore the device, the password will be restored to a random 8-digit password.

Note:

Please put the files (digicap.dav & digicap.dav.ey1) into the device disk, then restart the device, and the device will automatically complete the upgrade.



digicap.dav



digicap.dav.ey1

If the device key function does not match user manual, it can be fixed by upgrading the new firmware V5.5.61.

