



Thermal Image Scope  
THUNDER PRO Series (V5.5.54build240427)  
Release Notes

# TABLE OF CONTENTS

Chapter 1 Introduction .....	1
Chapter 2 Optimizations .....	2
2.1 Hotspot Optimization .....	2

# Chapter 1 Introduction

HIKMICRO THUNDER PRO Thermal Image Scope provides clear image under harsh environment conditions like darkness, fog, smoke, dust, rain, snow, etc. The scope is mainly applied to scenarios such as hunting.

This document introduces new features and optimizations in V5.5.54 of the products.

## Version Information


Item	Description
Firmware Version	V5.5.54build 240427
Models	HM-TR13-35XG/W-TH35PC HM-TR13-35XG/CW-TH35PC HM-TR13-35XG/W-TH35P HM-TR16-50XG/W-TQ50 HM-TR16-50XG/W-TQ50C HM-TR16-50XG/CW-TQ50C HM-TR16-35XG/W-TQ35 HM-TR16-35XG/W-TQ35C HM-TR16-35XG/CW-TQ35C
Mobile Client	HIKMICRO Sight, latest version

## Chapter 2 Optimizations

HIKMICRO THUNDER PRO series thermal image scopes have been optimized to improve your experience.

### 2.1 Hotspot Optimization

In this version, the first time users enter the device interface, they will choose whether to change the hotspot password.



- **OK:** If choose OK, the device will show you a random 8-digit password.



- **Cancel:** If choose Cancel, the password will remain the Serial No.

Note: During usage, whether you choose OK or Cancel, once you restore the device, the password will be restored to a random 8-digit password.

